Please write clearly in	block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			<u>.</u>
Candidate signature			

## GCSE PHYSICS

**Higher Tier** 

### Specimen 2018 (set 2)

#### Time allowed: 1 hour 45 minutes

Paper 2H

Mat	teria	als
	<u>م: ماء</u>	-

For this paper you must have:

- a ruler
- a scientific calculator
- a protractor
- the Physics Equations Sheet (enclosed)

#### Instructions


- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer **all** questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

#### Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
TOTAL		

0 1	Figure 1 shows two bar magnets suspended close to each other.		
	Figure 1		
01.1	Explain what is meant by the following statement. 'A non-contact force acts on each magnet'. [2 marks]		
01.2	Describe how to plot the magnetic field pattern of a bar magnet. [3 marks]		




#### Turn over ►

9


Do not write

0 2	A trolley is attached to two identical springs.
	The trolley is pushed to the left and then released.
	Figure 3 shows the horizontal forces acting on the trolley just after it is released.
	Figure 3
G-cl	Stand 1.5 N 000000000 Trolley 0000000000 C C C C C C C C C C C C C
02.1	Write down the equation which links acceleration, mass and resultant force. [1 mark]
02.2	The trolley has a mass of 0.75 kg Calculate the acceleration of the trolley just after it is released.
	Give the unit. [4 marks]
	Acceleration = Unit






03	Two students investigated how the acceleration of a trolley depends on the force applied to the trolley.
	Before starting the investigation each student wrote a hypothesis.
	Hypothesis of Student <b>A</b> :
	'The acceleration of the trolley is directly proportional to the force applied to the trolley.'
	Hypothesis of Student <b>B</b> :
	'Changing the force applied to the trolley will change the acceleration of the trolley.'
03.1	Consider the hypothesis of student <b>A</b> .
	Predict what would happen to the acceleration of the trolley if the force applied to the trolley is doubled. [1 mark]
0 3.2	Why is it difficult to make a valid prediction using the hypothesis of student <b>B</b> ?
	[1 mark]



Turn over ►

03.5	Describe a method the students could have used for their investigation.	[6 marks]
03.6	The students used the same trolley throughout the investigation.	
	Suggest why.	
		[2 marks]



#### Turn over ►

04.1	Which <b>one</b> of the following types of electromagnetic wave has the highest frequency [1 mar Tick <b>one</b> box.			
	Gamma rays			
	Infrared			
	Microwaves			
	Ultraviolet			
04.2	What makes microwaves suitable for sending communications to a satellite in space? [1 mark]			
04.3	Scientists have detected short bursts of radio waves emitted from a distant galaxy. The scientists think that the radio waves may have been emitted from a neutron star. What event leads to a neutron star forming? [1 mark]			


04.4	Some of the radio waves from the distant galaxy have a frequency of 1.2 gigahertz (GHz).
	Which of the following is the same as 1.2 GHz? [1 mark]
	Tick <b>one</b> box.
	$1.2 \times 10^3 \text{Hz}$
	1.2 × 10 <sup>6</sup> Hz
	1.2 × 10 <sup>9</sup> Hz
	1.2 × 10 <sup>12</sup> Hz
04.5	Radio waves travel through space at a speed of $3.0 \times 10^8$ m/s
	Calculate the wavelength of the 1.2 GHz radio waves emitted from the distant galaxy. [3 marks]
	Wavelength = m
04.6	When radio waves are absorbed by an aerial they may create an alternating current in an electrical circuit.
	If an alternating current is created what frequency would it have? [1 mark]
	Question 4 continues on the next page

Turn over ►

Figure 7 shows four groups of stars.


The surface temperature and relative luminosity determine which group a star is in.

A star with a relative luminosity of 1 emits the same amount of energy every second as the Sun.







04.7	The Sun is in the group of main sequence stars. These stars are stable.	
	Explain why a star remains stable.	2 markal
		[2 marks]
0 4 . 8	At different points in their lifecycle stars change from one group to another.	
	Describe what will happen to the Sun between it leaving the main sequence and becoming a white dwarf.	group
	Use information from <b>Figure 7</b> .	
		[4 marks]
	Turn over for the next question	




0 5.5	Figure 8 shows a golf club about to hit a stationary golf ball.
	Figure 8
	Direction of movement of the golf club Golf ball
	The golf club is in contact with the golf ball for 1.8 ms and exerts a force of 1500 N on the golf ball.
	The mass of the golf ball is 0.045kg
	Calculate the velocity of the golf ball as it leaves the golf club.
	Use the Physics Equations Sheet. [4 marks]
	Velocity = m/s







0 6 2	Explain how a current is induced in the wire.	[3 marks]
	Question 6 continues on the next page	


An alternator is connected to a data logger. The data logger is connected to a computer. Figure 10 shows how the output potential difference of the alternator varies with time. Figure 10 Output potential → Time 0 V difference 0 6 . 3 The coil inside the alternator now rotates at twice the frequency. Draw on Figure 10 to show how the output potential difference varies with time at this new frequency. [2 marks]




06.6	The charger used to charge the battery inside a laptop computer contains a small transformer.
	The charger plugs into the mains electricity supply.
	mains electricity supply = 230 V
	number of turns on the primary coil of the transformer = 690
	number of turns on the secondary coil of the transformer = 57
	Calculate the potential difference applied by the charger across the battery inside the computer.
	Use the Physics Equations Sheet. [3 marks]
	Potential difference = V











This is the method used.


- 1. The student set the reading on the balance to zero.
- 2. The student closed the switch and recorded the new balance reading.
- 3. The student then repeated the procedure three more times. Each time the current was kept the same.

	0.21	0.23	0.25	0.23	
Estimata tha un	portainty in the	balance rec	dings taken b	w the student	
Estimate the un Show how you			ungs taken b	y the student.	
<b>,</b>		j			[2 marks]
		Ur	certainty = $\pm$		mg
	_		. ,		
	Question 8 co	ntinues on t	ho noyt nado		
(	Question 8 co	ontinues on t	he next page		
(	Question 8 co	ntinues on t	he next page		
	Question 8 co	ntinues on t	he next page		
	Question 8 co	ntinues on t	he next page		
	Question 8 co	ntinues on t	he next page		
	Question 8 co	ntinues on t	he next page		
	Question 8 co	ntinues on t	he next page		
	Question 8 co	ntinues on t	he next page		
	Question 8 co	ntinues on t	he next page		
	Question 8 co	ntinues on t	he next page		
	Question 8 co	ntinues on t	he next page		
	Question 8 co	ntinues on t	he next page		
	Question 8 co	ntinues on t	he next page		
	Question 8 co	ntinues on t	he next page		
	Question 8 co	ntinues on t	he next page		
	Question 8 co	ntinues on t	he next page		
	Question 8 co	ntinues on t	he next page		





Turn over ►



09.3	What can be concluded from <b>Figure 18</b> about how the distribution of the intensit radiation from an object changes as the temperature of the object increases? [3 r	ty of marks]			
09.4	The wavelength at which the Sun emits the maximum intensity of radiation is approximately 5 × $10^{-7}$ m				
	Estimate the surface temperature of the Sun. Use Figure 18.	mark]			
	Question 9 continues on the next page				

